




# WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **Fiddes**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Fiddes Hard Wax Oil Natural](#)



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Hard Wax Oil

Revision 32

Revision date 2014-04-28

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Hard Wax Oil
Product code	Supreme Hard Wax Oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Finish for interior wood.
-------------	---------------------------

#### 1.3. Details of the supplier of the safety data sheet

Company	Fiddes & Son Ltd
Address	Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Web	www.fiddes.co.uk
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235
Email	info@fiddes.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number	02920340323
Company	FIDDES AND SON 8AM-5PM

#### Intended use


Finishing interior woods.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R65 R10-66 Symbols: Xn: Harmful.
Main hazards	Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

#### 2.2. Label elements

Symbols	The product is classified in accordance with 67/548/EEC. Xn: Harmful. 
Risk phrases	R10 - Flammable. R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking.
Safety phrases	S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

#### 2.3. Other hazards

# Hard Wax Oil

Revision 32

Revision date 2014-04-28

## 2.3. Other hazards

Other hazards	The product is classified in accordance with 67/548/EEC.
---------------	--

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Dearomatised White Spirit		64742-48-9	265-150-3		60 - 70%	Xn; R65 R10-66

## Further information

ADDITIONAL INFORMATION	The product does not require a hazard warning label in accordance with EC Directives.
------------------------	---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water. Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Coughing, difficulty in breathing.
Eye contact	Irritating to eyes.
Skin contact	Irritant, moderate skin.
Ingestion	Ingestion causes burns to the respiratory tract. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water. Transfer to hospital as soon as possible.

## General information

	If you feel unwell, seek medical advice (show the label where possible). Keep the affected person warm and at rest. Remove contaminated clothing. Wash all contaminated clothing before reuse.
--	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use .. Water jet.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear:.. Self-contained breathing apparatus.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Keep personnel away from spill. Evacuate personnel to a safe area. Eliminate all sources of ignition.
--	--

# Hard Wax Oil

Revision 32

Revision date 2014-04-28

## 6.2. Environmental precautions

Do not allow product to enter drains.

## 6.3. Methods and material for containment and cleaning up

Clean spillage area thoroughly with plenty of water. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.

## 6.4. Reference to other sections

Refer to section 12.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Wear suitable protective equipment. Do not breathe gas/fumes/vapour/spray. Use in a well ventilated area. Vapours are heavier than air. Avoid contact with eyes and skin.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

#### Suitable packaging

Store in original container.

#### Suitable packaging

Mild steel containers. Stainless steel containers.

## SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### 8.2.2. Individual protection measures

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. Apron (Plastic or rubber). Rubber boots.

#### Eye / face protection

Approved safety goggles. Avoid contact with eyes.

#### Skin protection - Handprotection

Chemical resistant gloves (PVC).

#### Respiratory protection

Wear: Suitable respiratory equipment. Self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Amber
Odour	Mild
Flash point	43
Solubility	Immiscible in water

#### Water solubility

Insoluble.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Acids. Oxidising agents.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

# Hard Wax Oil

Revision 32  
Revision date 2014-04-28

## 10.3. Possibility of hazardous reactions

Oxidising agents. Acids.

## 10.4. Conditions to avoid

Heat, sparks and open flames.

## 10.5. Incompatible materials

Oxidising agents.

## 10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Headache, nausea and vomiting. In severe cases, may cause loss of consciousness. Harmful if absorbed through the skin.

#### Skin corrosion/irritation

May cause irritation to skin.

#### Repeated or prolonged exposure

Prolonged or repeated exposure may cause irritation to skin and mucous membranes. Repeated or prolonged exposure may cause dermatitis.

### 11.1.4. Toxicological Information

No data available

### 11.1.7. Information on likely routes of exposure

Inhalation. Skin contact.

### 11.1.9. Delayed and immediate effects as well as chronic effects from short and long-term exposure

May cause allergic reactions in susceptible people. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause dermatitis.

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

No data is available on this product.

### 12.2. Persistence and degradability

Not readily biodegradable.

### 12.4. Mobility in soil

Do not let product contaminate subsoil.

### 12.6. Other adverse effects

May cause long-term adverse effects in the environment.

## SECTION 13: Disposal considerations

### General information

Can be incinerated if in compliance with local and national regulations. Dispose of in compliance with all local and national regulations.

### Disposal methods

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

### Disposal of packaging

Empty containers can be sent for disposal or recycling.


## SECTION 14: Transport information

### Hazard pictograms

## Hard Wax Oil

Revision 32

Revision date 2014-04-28

Hazard pictograms	
	
<b>14.1. UN number</b>	
	UN1263
<b>14.2. UN proper shipping name</b>	
	PAINT RELATED MATERIAL
<b>14.3. Transport hazard class(es)</b>	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
<b>14.4. Packing group</b>	
Packing group	III
<b>14.5. Environmental hazards</b>	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
<b>SECTION 15: Regulatory information</b>	
<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
<b>15.2. Chemical safety assessment</b>	
	A chemical safety assessment has not been carried out.
<b>SECTION 16: Other information</b>	
<b>Other information</b>	
Revision	This document differs from the previous version in the following areas: 1 - Description.

## Hard Wax Oil

Revision 32

Revision date 2014-04-28

## Other information

	<p>1 - Intended use.  4 - Inhalation.  4 - Eye contact.  4 - Skin contact.  4 - Ingestion.  4 - Inhalation.  4 - Eye contact.  4 - Skin contact.  4 - Ingestion.  5 - 5.2. Special hazards arising from the substance or mixture.  6 - 6.4. Reference to other sections.  7 - Suitable packaging.  7 - Suitable packaging.  9 - 9.1. Information on basic physical and chemical properties (Solubility).  10 - 10.1. Reactivity.  10 - 10.5. Incompatible materials.  11 - 11.1.4. Toxicological Information.  11 - 11.1.7. Information on likely routes of exposure.  11 - 11.1.9. Delayed and immediate effects as well as chronic effects from short and long-term exposure.  12 - 12.1. Toxicity.  12 - 12.4. Mobility in soil.  12 - 12.2. Persistence and degradability.  12 - 12.6. Other adverse effects.  13 - Disposal methods.  15 - 15.2. Chemical safety assessment.  15 - Regulations.</p>
<b>Text of risk phrases in Section 3</b>	<p>R10 - Flammable  R65 - Harmful: may cause lung damage if swallowed.  R66 - Repeated exposure may cause skin dryness or cracking.</p>
<b>Product Subcategory</b>	<p>Interior/exterior trim varnishes and woodstains, including opaque woodstains - 400 g/l.</p>
<b>General information</b>	
	<p>S1/2 - Keep locked up and out of the reach of children. S13 - Keep away from food, drink and animal feedingstuffs. S7/9 - Keep container tightly closed and in a well-ventilated place. S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39 - Wear suitable gloves and eye/face protection.</p>
<b>Further information</b>	
	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. The product is classified in accordance with 67/548/EEC.</p>