



WOOD FINISHES DIRECT

The following Product Datasheet is provided by **Repair Care**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:
[Repair Care DRY FLEX 4 2-in-1](#)



REPAIR CARE

WOOD REPAIR SYSTEM

FOR INTERIOR AND EXTERIOR USE



PRACTICAL, FAST AND COMPLETE

FAST AND DURABLE REPAIRS



Product facts:

- Excellent shaping properties
- No slump
- Fully cured in approx 4 hours*
- Will not shrink, stays elastic and resistant to moisture
- Can be sanded, drilled or screwed
- Can be stained or painted
- Improved paint durability
- 2 years shelf life

*This is the average curing time at 20°C.



Your benefits:

- No special tools required
- Does not require joinery skills
- Avoid unnecessary disruption
- Extended pot life up to 20 minutes, gives you time to shape and mould the repair
 - 10 year Guarantee
- New business opportunity
 - Interior and exterior use
 - Increase your profits



THE 7 STEPS TO DURABILITY

HOW TO USE IT



1. Remove paint & dirt



2. Remove all decay



3. Prime with DRY FIX®



4. Apply DRY FLEX®



5. Shape and finish repair



6. Sand finished repair



7. Apply paint finish