

The following Technical Datasheet is provided by Woca

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit: Woca Intensive Wood Cleaner Spray

Intensive Wood Cleaner Treatment preparation

Technical Data Sheet 21.06.2020 - p. 1/2

Intensive Wood Cleaner is a specially developed cleaning product for all indoor wood surfaces, such as furniture, doors, panels, kitchen worktops etc. regardless of whether they are untreated, oiled or lacquered. Intensive Wood Cleaner effectively cleans and removes dirt, grease and stains, quickly and easily.



- · Removes old soap residue, grease and dirt
- · Effectively prepares the surface for treatment
- For indoor use

Application area

Cleaning of new, untreated, sanded and treated wood. Ideal for all species of wood.

Work description

Preparation Use WOCA Wood Stain Remover for particularly stubborn stains.

Always remember to test on a less visible spot to check the compatibility of the surface with the product.

Treatment Shake the bottle thoroughly before use.
Spray Intensive Wood Cleaner onto the surface.
dr>Allow the

mixture to work for 5 minutes, before wiping down with clean water.

Sheave the surface to dry for 2-8

hours, depending on subsequent treatments.

Note Intensive Wood Cleaner leaves oiled and wax-treated surfaces completely free of oils, so re-oiling/waxing

after cleaning is required. Lacquered surfaces should be refreshed with WOCA Master Care.

Drying time

Drying time 2-8 hours at +20° C, depending on surface

Technical data

Density 1.04 g/ml

pH-value 10.5

Shelf life 36M

Application Temperature 15-30°C

Colours Colourless

Mixing ratio Ready for use

Storage Store safely, out of the reach of children. Do not expose to

heat (e.g. sunlight). Store frost-free.

Packaging 750 ml.

Authorisations IBR-certified

Maintenance and related products

Related products Wood Stain Remover, #551541A

Application tools Mop, #599805
br>Applicator, #880157
br>Telescopic rod,

#599651

Contact

WOCA Denmark A/S

Tværvej 6

DK - 6640 Lunderskov T +45 9958 5600 info@wocadenmark.com wocadenmark.com

This information is based on extensive laboratory testing and practical experience. Because the conditions under which the product is used are often beyond the control of WOCA Denmark, we can only guarantee the quality of the actual product. WOCA Denmark A/S accepts no liability for incorrect use and handling of the product. In principle, this product can be considered an intermediate product, as results depend on construction, the nature of the surface, pre-treatment, temperature, air humidity, application etc. WOCA Denmark A/S reserves the right to change the product and the stated information without notice. This label/product description replaces all previous versions.